

1. Select device mount product models


Home / Quick-fit mounting system / SDT

Start enquiry

Product filter +

reset

Protection class IP20 / IP40



Device mount LED

A simply convincing choice

Find out more →

Display product models

Protection class IP54

Type name	variable/fix	Lamps	Colour	Controller	
SDGOB /1500 Individual.Lens.Optic/3 rows direct wide distribution. visually continuous					
SDGOB /1500		LED 4000 840	vw RAL 9016	DALI	
SDGOB /1500		LED 4000 840	vw RAL 9016	ED	Collect

Transferring the gear tray to configuration with the light band configurator button

SDGOB /1500 | LED 6000 840 | vw RAL 9016 | ED [Modify article selection](#) ^ Similar products v Accessories v Collect 📁

CHARACTERISTICS	
Category	Device mount
Type	SDGOB /1500 LED 6000 840 ET vw RAL 9016
Order number	18510204100
EAN number	4020863325276
Commodity code	94051098
Certification mark	IP 20, Protection class I, ENEC10 VDE, F, HACCP DIN10500/Food/IFS-application-related suitability/BRC, Indoor, CE
Impact resistance (IK rating)	IK03 (-20°C bis 40°C)
Ambient temperatur	ta -20°C to 40°C

ELECTRICAL ENGINEERING	
Controller	Electronic driver (1 pcs.)
System output	37 W
Mains voltage	230 V / 50 Hz




Downloads

- Product datasheet
- Tender text
- Mounting instructions
- Product pictures
- Project images
- Relux ROLFZ file
- EULUMDAT file
- IES file
- Light run configurator**
- Light calculation

2. Select desired parameters (wiring, light run length, etc.) and complete configuration

Lightrun Configurator

SDT/SDGOB-LED 6000 ET freistrahlend
SDT_1500_IP20_vw RAL 9016+18510204100



WIRING CODE: _____


5x1,5 mm² 5x2,5 mm² 7x2,5 mm²

LENGTH: _____

3.070 meters or 2 units

Discard configuration Add to project list ←

3. Result list with detailed description and parts list, options for project saving and further processing, request sending to Regiolux

Description	Amount	Itemprice	Price/Euro
<div style="display: flex; align-items: center;"> ● Position 1: <input style="width: 200px; height: 15px; margin-left: 5px;" type="text"/> </div>			
 <div style="margin-left: 10px;"> <p>24019424100 SDT/SDGOB-LED 6000 ET freistrahlend 5x1,5 vw 2-length light strip, length=3.070m 2 ST device mount freistrahlend</p> </div>	<input style="width: 30px; height: 15px;" type="text" value="5"/> pcs	435.30 EUR	2,176.50
<div style="display: flex; align-items: center; margin-top: 10px;"> - Itemlist ← </div>			
18252580100 →	SDT 1500/II 5x1,5mm², vw	5 pcs	39.90 EUR
18900231100 →	SDTE, face end, vw, 1 pair	5 pcs	2.60 EUR
18510204100 →	SDGOB/1500 LED 6000 840 ED, vw LED Device mount SDT-System, device mount Mounting rail system component 6100lm 840, P(sys)=37W, 162lm/W Access by 3-pole rapid installation plug connector LED lens optics dir. wide distrib. opt. contin. IP 20	10 pcs	193.20 EUR
18900039100 →	SDH, attachment for chain hook, me	10 pcs	3.20 EUR
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="display: flex; gap: 10px;"> Change Delete Copy </div> <div style="display: flex; align-items: center;"> <input type="checkbox"/> Data sheet </div> </div>			
<div style="display: flex; gap: 10px;"> Add position Download data sheets </div>			<p>SUM POSITIONS</p> <p style="font-size: 1.2em; font-weight: bold;">2,176.50</p>
<p style="font-size: 0.8em; color: gray;">Assembly material, chains and feeder not taken into account. Subject to technical revisions and errors.</p>			
<div style="display: flex; justify-content: space-between; align-items: center; background-color: #FFF9C4; padding: 10px;"> <div style="font-size: 2em; color: red; margin-right: 10px;">→</div> <div style="display: flex; gap: 10px;"> Load project Print project Send project Close project Delete project Save project </div> <div style="font-size: 2em; color: red; margin-left: 10px;">←</div> </div>			